

公共施設調査結果表

No.	測定施設	住所	測定日	測定機器	北緯	東経	各測定値			平均空間線量		
							No	高さ	空間線量 (μ sv/h)	(μ sv/h) a (H24)	(μ sv/h) b (H26)	差 b - a
S001	山下小学校 (山下第二小学校)	山元町山寺 字樋前12	2014/12/7	TCS-172B	37° 58' 09.8"	140° 52' 28.2"	S001-A	50cm	0.09	50cm	50cm	-0.04
					37° 58' 10.0"	140° 52' 26.6"	S001-B	50cm	0.11			
					37° 58' 09.3"	140° 52' 26.8"	S001-C	50cm	0.07			
					37° 58' 09.4"	140° 52' 29.6"	S001-D	50cm	0.13			
					37° 58' 10.2"	140° 52' 29.5"	S001-E	50cm	0.14			
S002	山下第一小学校	山元町大平 字堀6	2014/12/7	TCS-172B	37° 59' 29.2"	140° 52' 00.7"	S002-A	50cm	0.09	50cm	50cm	-0.04
					37° 59' 30.0"	140° 52' 02.1"	S002-B	50cm	0.08			
					37° 59' 29.3"	140° 52' 02.4"	S002-C	50cm	0.07			
					37° 59' 28.7"	140° 51' 59.5"	S002-D	50cm	0.07			
					37° 59' 29.6"	140° 51' 59.3"	S002-E	50cm	0.08			
S003	坂元小学校	山元町坂元 字館下159-1	2014/12/6	TCS-172B	37° 55' 07.2"	140° 53' 37.5"	S003-A	50cm	0.07	50cm	50cm	-0.29
					37° 55' 07.0"	140° 53' 39.3"	S003-B	50cm	0.08			
					37° 55' 06.7"	140° 53' 36.9"	S003-C	50cm	0.07			
					37° 55' 07.9"	140° 53' 36.4"	S003-D	50cm	0.09			
					37° 55' 07.6"	140° 53' 39.8"	S003-E	50cm	0.06			
S004	山下中学校	山元町山寺 字畑中29	2014/12/7	TCS-172B	37° 58' 09.4"	140° 52' 18.6"	S004-A	1m	0.07	1m	1m	-0.20
					37° 58' 09.5"	140° 52' 17.3"	S004-B	1m	0.10			
					37° 58' 08.4"	140° 52' 17.3"	S004-C	1m	0.10			
					37° 58' 08.9"	140° 52' 19.9"	S004-D	1m	0.07			
					37° 58' 09.8"	140° 52' 19.6"	S004-E	1m	0.07			
S005	坂元中学校	山元町坂元 字山作1	2014/12/6	TCS-172B	37° 55' 17.2"	140° 54' 15.0"	S005-A	1m	0.07	1m	1m	-0.21
					37° 55' 15.2"	140° 54' 16.8"	S005-B	1m	0.06			
					37° 55' 15.1"	140° 54' 12.8"	S005-C	1m	0.05			
					37° 55' 17.9"	140° 54' 12.4"	S005-D	1m	0.05			
					37° 55' 19.4"	140° 54' 16.7"	S005-E	1m	0.10			
S006	ふじ幼稚園 (真庭区民会館)	山元町山寺 字西頭無36-54	2014/12/6	TCS-172B	37° 55' 47.9"	140° 52' 58.5"	S006-A	50cm	0.08	50cm	50cm	-0.20
					37° 55' 46.9"	140° 52' 59.3"	S006-B	50cm	0.08			
					37° 55' 47.3"	140° 52' 57.8"	S006-C	50cm	0.09			
					37° 55' 48.7"	140° 52' 57.5"	S006-D	50cm	0.06			
					37° 55' 48.5"	140° 52' 59.8"	S006-E	50cm	0.09			
S007	やまもと幼稚園	山元町高瀬 字竹ノ内原41	2014/12/6	TCS-172B	37° 56' 46.8"	140° 52' 54.1"	S007-A	50cm	0.06	50cm	50cm	-0.12
					37° 56' 47.1"	140° 52' 54.7"	S007-B	50cm	0.06			
					37° 56' 47.5"	140° 52' 54.5"	S007-C	50cm	0.06			
					37° 56' 46.7"	140° 52' 53.3"	S007-D	50cm	0.06			
					37° 56' 46.2"	140° 52' 53.5"	S007-E	50cm	0.09			
S008	北保育所	山元町山寺 字町東18	2014/12/7	TCS-172B	37° 58' 07.7"	140° 52' 46.3"	S008-A	50cm	0.08	50cm	50cm	-0.08
					37° 58' 07.7"	140° 52' 45.9"	S008-B	50cm	0.11			
					37° 58' 07.5"	140° 52' 46.0"	S008-C	50cm	0.08			
					37° 58' 07.5"	140° 52' 46.7"	S008-D	50cm	0.11			
					37° 58' 07.8"	140° 52' 46.8"	S008-E	50cm	0.09			
S009	南保育所 (老人憩いの家)	山元町高瀬 字合戦原100-1	2014/12/6	TCS-172B	37° 56' 26.3"	140° 53' 37.0"	S009-A	50cm	0.09	50cm	50cm	-0.11
					37° 56' 26.2"	140° 53' 37.3"	S009-B	50cm	0.09			
					37° 56' 26.1"	140° 53' 36.9"	S009-C	50cm	0.09			
					37° 56' 26.4"	140° 53' 36.7"	S009-D	50cm	0.09			
					37° 56' 26.6"	140° 53' 37.6"	S009-E	50cm	0.10			
S010	山元支援学校	山元町高瀬 字合戦原100-2	2014/12/10	TCS-172B	37° 56' 28.2"	140° 53' 24.3"	S010-A	50cm	0.09	50cm	50cm	-0.07
					37° 56' 28.1"	140° 53' 26.7"	S010-B	50cm	0.07			
					37° 56' 29.4"	140° 53' 26.0"	S010-C	50cm	0.15			
					37° 56' 29.0"	140° 53' 24.4"	S010-D	50cm	0.11			
					37° 56' 28.8"	140° 53' 25.6"	S010-E	50cm	0.08			
S011	独立法人病院機 構 宮城病院	山元町高瀬 字合戦原100	2014/12/6	TCS-172B	37° 56' 29.7"	140° 53' 32.1"	S011-A	1m	0.16	1m	1m	-0.16
					37° 56' 34.9"	140° 53' 35.8"	S011-B	1m	0.10			
					37° 56' 34.8"	140° 53' 37.3"	S011-C	1m	0.12			
					37° 56' 31.0"	140° 53' 31.8"	S011-D	1m	0.13			
					37° 56' 36.5"	140° 53' 36.5"	S011-E	1m	0.15			
S012	深山山麓少年の 森	山元町山寺 字新山85	2014/12/7	TCS-172B	37° 57' 53.7"	140° 51' 58.0"	S012-A	50cm	0.07	50cm	50cm	-0.15
					37° 57' 53.1"	140° 51' 58.3"	S012-B	50cm	0.10			
					37° 57' 53.1"	140° 51' 58.5"	S012-C	50cm	0.11			
					37° 57' 54.5"	140° 51' 58.4"	S012-D	50cm	0.06			
					37° 57' 53.9"	140° 51' 57.4"	S012-E	50cm	0.07			
S013	鷺足遊園	山元町鷺足 字山崎56-2	2014/12/6	TCS-172B	37° 58' 40.0"	140° 51' 59.8"	S013-A	50cm	0.06	50cm	50cm	-0.23
					37° 58' 40.5"	140° 51' 59.5"	S013-B	50cm	0.07			
					37° 58' 40.2"	140° 51' 59.5"	S013-C	50cm	0.06			
					37° 58' 40.0"	140° 51' 59.0"	S013-D	50cm	0.07			
					37° 58' 40.4"	140° 51' 59.0"	S013-E	50cm	0.10			
S014	山下遊園	山元町浅生 原字作田山40-13	2014/12/6	TCS-172B	37° 57' 59.5"	140° 52' 38.8"	S014-A	50cm	0.10	50cm	50cm	-0.17
					37° 57' 59.8"	140° 52' 38.4"	S014-B	50cm	0.19			
					37° 57' 59.8"	140° 52' 38.8"	S014-C	50cm	0.17			
					37° 57' 59.3"	140° 52' 39.1"	S014-D	50cm	0.09			
					37° 57' 59.2"	140° 52' 38.7"	S014-E	50cm	0.10			
S015	作田山遊園	山元町山寺 字作田山2-29、2-31	2014/12/6	TCS-172B	37° 57' 49.1"	140° 52' 32.6"	S015-A	50cm	0.08	50cm	50cm	-0.20
					37° 57' 49.1"	140° 52' 32.4"	S015-B	50cm	0.06			
					37° 57' 49.0"	140° 52' 32.6"	S015-C	50cm	0.07			
					37° 57' 48.9"	140° 52' 32.6"	S015-D	50cm	0.06			
					37° 57' 48.9"	140° 52' 32.4"	S015-E	50cm	0.06			

公共施設調査結果表

No.	測定施設	住所	測定日	測定機器	北緯	東経	各測定値			平均空間線量			
							No	高さ	空間線量 (μ sv/h)	(μ sv/h) a (H24)	(μ sv/h) b (H26)	差 b - a	
S016	太陽遊園 (チューリップ公園)	山元町浅生 原字下宮前 76-290	2014/12/6	TCS-172B	37° 57' 13.1"	140° 53' 01.7"	S016-A	50cm	0.06	0.35	50cm	0.07	-0.28
					37° 57' 13.2"	140° 53' 01.7"	S016-B	50cm	0.06				
					37° 57' 13.4"	140° 53' 01.5"	S016-C	50cm	0.09				
					37° 57' 13.3"	140° 53' 01.3"	S016-D	50cm	0.08				
					37° 57' 12.9"	140° 53' 02.1"	S016-E	50cm	0.08				
S017	太陽遊園 (すみれ公園)	山元町浅生 原字下宮前 76-266	2014/12/6	TCS-172B	37° 57' 10.7"	140° 53' 07.6"	S017-A	50cm	0.06	0.36	50cm	0.06	-0.30
					37° 57' 10.5"	140° 53' 07.7"	S017-B	50cm	0.06				
					37° 57' 10.4"	140° 53' 07.9"	S017-C	50cm	0.07				
					37° 57' 10.7"	140° 53' 07.8"	S017-D	50cm	0.06				
					37° 57' 10.5"	140° 53' 07.5"	S017-E	50cm	0.07				
S018	真庭遊園	山元町真庭 字原65-3	2014/12/6	TCS-172B	37° 55' 45.8"	140° 52' 58.9"	S018-A	50cm	0.08	0.32	50cm	0.09	-0.23
					37° 55' 46.1"	140° 52' 59.3"	S018-B	50cm	0.09				
					37° 55' 46.4"	140° 52' 59.7"	S018-C	50cm	0.11				
					37° 55' 46.2"	140° 52' 58.9"	S018-D	50cm	0.09				
					37° 55' 46.4"	140° 52' 58.6"	S018-E	50cm	0.10				
S019	久保間遊園	山元町坂元 字瀬賀美二 16-2、15-1	2014/12/6	TCS-172B	37° 54' 58.6"	140° 52' 19.9"	S019-A	50cm	0.06	0.37	50cm	0.06	-0.31
					37° 54' 59.0"	140° 52' 19.9"	S019-B	50cm	0.06				
					37° 54' 58.6"	140° 52' 19.1"	S019-C	50cm	0.06				
					37° 54' 59.0"	140° 52' 19.0"	S019-D	50cm	0.07				
					37° 54' 59.0"	140° 52' 18.4"	S019-E	50cm	0.07				
S020	ふじ幼稚園	山元町山寺 字上西田 123-2	2014/12/10	TCS-172B	37° 58' 05.9"	140° 52' 31.9"	S020-A	50cm	0.05	—	50cm	0.06	—
					37° 58' 06.2"	140° 52' 32.1"	S020-B	50cm	0.06				
					37° 58' 05.6"	140° 52' 32.3"	S020-C	50cm	0.06				
					37° 58' 05.7"	140° 52' 31.6"	S020-D	50cm	0.06				
					37° 58' 06.1"	140° 52' 31.5"	S020-E	50cm	0.06				
					37° 58' 06.6"	140° 52' 31.3"	S020-F	50cm	0.06				